FORELINE TRAPS
For Edwards XDS5 or XDS10 Dry Scroll Vacuum Pumps
ISO Flange NW25 and NW40
Extend the Life of Your Vacuum Pump
Cut Maintenance Costs
Prevent System Downtime

## **APPLICATIONS & EQUIPMENT**

- Foreline traps serve to prevent containments from entering the pump and protect the system from pump fluid or particulate migration. (**Backstreaming**)
- Prevent Dry Scroll Tip Seal Dust Migration
- Trap Condensable Vapors
- Rotary Vane Pump Protection
- Mist removal for Gear Box Venting
- Semi-Conductor Industry


## **FEATURES & SPECIFICATIONS**


- Interchangeable Cartridge provides for clean easy maintenance
- **Vacuum Level:** Typically 1.3x10<sup>-3</sup> mbar (1x10<sup>-3</sup> mmhg)
- ISO NW Flange Standard: Easy release clamp flanges for use in foreline vacuum applications
- Durable Corrosive Resistant nickel chrome finish which prevents outgassing
- Fully-Drawn Housing with positive engagement ring technology

## **FILTER MEDIA**

- **Polyester Media:** 99% Efficient to 5 Microns
- Stainless Steel Wire Mesh: Corrosive resistant media,
- with large surface area, traps condensed particles & oil vapors
   Activated Carbon Granule Stops both particulate matter, gas or vapor odors and contaminants

 Activated Alumina: Long media life span and is very effective in preventing backstreaming and in trapping water & acid vapors (Lewis acids, polar compounds & other acids)





XDS5/10

XDS5/10 I

\*Media Sold Seperately

AVAILABLE MEDIA OPTIONS					
		Polyester Media	S.S. Wire Mesh	Activated Carbon	Activated Alumina
	NW25	P101862 \$140.00	P101863 \$183.00	P101864 \$165.45	P101865 \$130.25
	NW40	P101867 \$205.00	P101885 \$283.00	P101868 \$275.68	P101869 \$284.00



To Our Website

Ideal Vacuum Products, LLC 2401B Phoenix Ave. NE Albuquerque, NM 87107 Phone: (505) 872-0037 idealvac.com or pchemlabs.com

Dec2008 Rev.1